

The NEW

**Pathfinder® Ultra®
6039™ Platinum**

**It scans, collects data,
prints labels.**

And saves you money.



PAXAR

The Power of Identification™

www.pathfinderce.com

3-in-1 functionality means mark-down has never been easier

Mark-down promotions are an important part of helping your business reduce its waste figures. But when the task of marking down can involve two or more separate machines, a data terminal, scanning device and printer, it becomes a time consuming and costly exercise.

That's why the new Paxar Pathfinder® 6039™ is a time-saving and money-saving solution. Combining scanning, data collection and print and apply labelling all in one hand-held machine. It puts leading edge technology and multiple functionality at your fingertips, and will improve productivity.

It works where you do

With so many useful functions in just one machine, the Pathfinder® 6039™ is far too versatile to use only for mark-down or shelf edge labelling in store. Its rugged construction and durability means you can safely take it into any working environment.

Simplified logistics

Logistics and distribution operations can be simplified and streamlined, by eliminating the picking slip. Instead, by using the Pathfinder® 6039™, the host simply directs

the operator – via the RF network – to **pick, label, apply** and **pack** on the go.

Effortless inventory control

With the Pathfinder® 6039™, it's easy to identify the correct unloading bay or other location for incoming goods, and direct the delivery accordingly. By using the unit's real-time functionality means the stock system can be kept constantly up to date.



Key Features

Robust

Durable rubber moulded casing for multiple one meter drops

Printer

Prints branded & security labels, tags and receipts

Windows® CE

1/4 VGA high definition touch-screen & 17-key interface

Battery

The lightweight lithium Ion battery will last an eight hour shift. Hot-swappable, maintaining an active session during the battery change

Scanner

Lightweight robust built-in laser barcode scanner

Connectivity

802.11b/g RF network functionality
Bluetooth® and USB OnTheGo connectivity with master/slave capability.
Compact Flash & SD/MMC card slots



Print and Apply and more

Scanning

The Pathfinder® 6039™ incorporates one of the world's smallest high-intensity scanners for fast and accurate data capture.

Data collection

The optional 802.11b/g RF network functionality allows data collection and processing in real time. Built in USB OnTheGo with master or slave capability and optional Bluetooth® connectivity allows it to be connected to many peripheral devices such as chip'n'pin readers.

Labelling

Whatever kind of labels you need to print, the Pathfinder® 6039's™ built-in printer will print them. In addition to branded and security-type labels it will also print on tags and receipt paper.

Loading the print media is quick and easy, with a simple drop-in facility.

Windows® makes it easy

Based on the powerful Microsoft Windows® CE.Net platform, the Pathfinder® 6039™ has a familiar touch-screen interface, so operators need little training before they're ready to go.

The Windows®-based CE platform also eliminates the need for costly and time-

consuming bespoke code writing.

The widespread use of the CE platform means the Pathfinder® 6039™ can be integrated alongside most existing mobile devices, and support a huge number of back-end business systems.



Pathfinder® Ultra® 6039™ Platinum Specifications

Processor Intel XScale PXA270C	Programming environment Visual Studio .NET - Windows® Sockets Pathfinder SDK Hardware APIs	Power management High-capacity Lithium Ion battery (7.2V, 2200mAh) Quick battery change door Comprehensive battery gas gauge, independent printer gauge Battery and optional AC power handle for fixed location operation Built in rechargeable backup battery
Operating system Microsoft Windows CE .NET 5	Programming languages VB.Net C#.Net	Environmental (standard) Operating temp:+4°C to +45°C Storage temp:-40°C to +80°C Humidity: 5% to 90% RH non-condensing Shock: Drop test of 1.8m (6ft) onto solid concrete
User interface Colour touch-screen display – 1/4 VGA, 240x320 Passive stylus or finger operation Backlight on/off control, adjustable contrast & brightness Stylus clipped into base of unit attached with Lanyard	Indicators Internal speaker with volume control LED indicating scanner performance	Physical dimensions Weight: 940g (2lbs) with battery Height – 165mm Width – 197mm Depth – 83mm
Keypad 17-key alphanumeric mobile phone style keypad High durability rubberised keys	Barcode applications Symbol lightweight laser scanner – SE923 Optional high-speed scanner – SE923HS	Power accessories AC power supply Single slot battery charger Four station battery charger Backup battery storage charger
Printer 52mm (2") wide 8 dots/mm (203dpi) resolution 110mm (4") per second print speed <ul style="list-style-type: none">Barcode symbologies EAN/UCC 8, 13, +2 +5, 128 Interleaved 2 of 5, Extended Code 39 Codabar (NW7), Code 39 / 128, MSI, Code 932 Dimensional barcodes Maxicode, PDF417, Postnet, Quick ResponseFonts Standard, TrueType & International Fonts	Expansion slots One Compact Flash card slot One SD/MMC memory card slot High-speed USB OnTheGO port	Carrying accessories Handstrap – lanyard Luxury hand strap Shoulder strap Holster
Application software Windows® CE .NET Internet Explorer 6.0 for CE Wireless network management software suite Wavelink & Odyssey Microsoft ActiveSync	Wireless communications Expansion slots available: 802.11b (via Compact Flash) Bluetooth® (via CF or SD/MMS slot)	Approvals Safety: NRTL to UL60950, CSA C22.2 No 60950 EN 60950 EMC: FCC Part 15 (Class B) EN 55022 (Class B) EN 55024 Laser: IEC 60825-1, Class 2 FDA 21 CFR 1040.10, 1040.11 Class II
Application software Control scanner, printer, media loading & calibration	External ports USB OnTheGO host/slave port	





Paxar UK Ltd
Paxar House
7 Astra centre
Harlow
Essex CM20 2BN

Tel: +44 1279 786000
Fax: +44 1279 786100

www.paxar-emea.com
email: enquiries@Paxar.co.uk

PAXAR

The Power of Identification™

www.pathfinderce.com